

FIG. 1





FIG. 2




Absorbance


Collection time: Sat Feb 26 20:43:15 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 32.0
Mirror velocity: 0.3165 Acquisition Parameters Aperture: 59.00 Raman Spectrum, Nicolet model 860 FT-Raman Raman shift (cm-1) 200 2500 320 8 70-₽ ဗ္ဗ 20-9 Ŕ 8


Raman intensity

FIG. 4




DSC (bottom) and TGA (top) of Rubitecan Form B. 四個工程的工程的工程的工程的工程的工程。





Absorbance








FIG. 9




IR Spectrum, Nicolet model 860 FT-IR


Collection time: Sat Feb 26 18:40:03 2000 Number of sample scans: 128 Number of background scans: 128 Resolution: 2.000


Acquisition Parameters




17








And the state of t










FIG. 13




IR Spectrum, Nicolet model 860 FT-IR



Collection time: Sat Feb 26 18:14:49 2000 Number of sample scans: 128 Number of background scans: 128 Resolution: 2.000 Sample gain: 8.0 Mirror velocity: 0.6329 Aperture: 69:00



Raman Spectrum, Nicolet model 860 FT-Raman




200 Cod Cod

Acquisition Parameters

Collection time: Sat Feb 26 20:55:54 2000 Number of sample scans: 128 Number of background scans: 0 Resolution: 4 000

Resolution: 4,000 Sample gain: 64.0 Mirror velocity: 0.3165 Aperture: 59.00



Raman intensity

FIG.




FIG. 21

TGA of Rubitecan Form. F. 44 (10) F.





FIG. 2


IR Spectrum, Nicolet model 860 FT-IR

Collection time: Thu May 11 12:56:27 2000 Number of sample scans: 256 Number of background scans: 256 Resolution: 4.000

Acquisition Parameters










FIG. 25




FIG. 26

IR Spectrum, Nicolet model 860 FT-IR

Calection time: Thu May 18 20:28:17 2000 Number of sample scans: 128 Number of background scans: 128 Resolution: 2.000

Acquisition Parameters





FIG 27



FTG 28

XRPD Patterns of Rubitecan Solid Forms Containing Amorphous Material.

